
100
PACKET 1
PACKET 2
PACKET 3
PACKET 4
PACKET 5
PACKET 6
PACKET 7
PID10 GOLF
PID34 CARTOON
PID34 CARTOON
PID52 WEATHER
PID10 GOLF
PID34 CARTOON
PID10 GOLF
PACKET 1
PACKET 5
PACKET 7
PID10 GOLF
PID10 GOLF
PID10 GOLF

FIG. 1



FIG. 2
PRIOR ART


USER CHANGES CHANNELS TO SECOND SUB-CHANNEL ON THE TRANSPORT STREAM STORED ON THE 1394 DEVICE.
305
RECEIVER SENDS PLAY COMMAND TO 1394 DEVICE.
310
1394 DEVICES RECEIVES COMMAND
SENDS ENTIRE TRANSPORT TO THE RECEIVER
315
USER WATCHES PROGRAM... FOR A WHILE.
USER HITS FFWD BUTTON ON REMOTE
325
RECEIVER EXTRACTS INFORMATION TO PLAY SUB-CHANNEL 2
320
RECEIVER SENDS FFWD SUB-CHANNEL 2 COMMAND TO 1394 DEVICE.
330
1394 DEVICE RECEIVES COMMAND
SENDS COMPLETE I-FRAMES FOR SUB-CHANNEL 2
335
USER WATCHES UNTIL READY TO STOP TRICK MODE
RECEIVER PROPERTY EXTRACTS AND DISPLAYS SUB-CHANNEL 2 TRICK MODE
340

FIG. 3

FIG. 4


400
opcode
msb
lsb
operand[0]
PLAY
operand[1]
result
operand[2]
sub_function_1
operand[3]
sub_function_2
operand[4]
operand[5]
track_identifier (optional)
410